

## Resistance to Heat Test Fixture



## Resistance to Heat Test Fixture

Q-Card's resistance to heat test fixture allows testing of three cards at one time. A card's ability to resist heat is determined by exposing the cards to certain climatic conditions over time, then measuring the mechanical deformation caused by the influence of gravity.

Q-Card's resistance to heat fixture features splayed feet and aggressive no-slip rubber pads for optimum stability. It is manufactured of aerospace-grade aluminum alloy with a hard anodized, scratch-resistant, durable finish to

provide years of rigorous testing and trouble-free service.

The test fixture includes the card clamping stand, a card stop gauge to provide the precise cantilever dimension and a movable stainless steel scale for precision accuracy.

Q-Card's Resistance to Heat Test Fixture is designed to perform this test according to the following standards:

**MasterCard CQM**  
**ISO/IEC 7810**  
**ISO/IEC 10373-1**


# Ordering Details

Part #	Description
906707	Resistant to Heat

# Specifications

**Weight**  
▪ 6 lbs.

# Dimensions



301 Reagan Street  
Sunbury PA 17801 USA  
Phone 570.286.7447  
Fax 570.286.2649  
[www.q-card.com](http://www.q-card.com)

Q-Card is



ISO 9001  
Compliant

**800-717-8007**